

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/670,462	09/26/2000	Takao Ogura	FUJS 17.791	3610	
7590 06/24/2005			EXAMINER		
•	n, Zavis & Rosenman	HAN, CLEMENCE S			
575 Madison Ave.					
New York, NY 10022-2585			ART UNIT	PAPER NUMBER	
			2665		
			DATE MAILED: 06/24/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

			<u> </u>				
	Applica	tion No.	Applicant(s)				
Office Action Summary		462	OGURA ET AL.				
		er	Art Unit				
	Clemen		2665	·			
The MAILING DATE of this commun Period for Reply	ication appears on t	he cover sheet with the c	correspondence ad	dress			
A SHORTENED STATUTORY PERIOD F THE MAILING DATE OF THIS COMMUNI - Extensions of time may be available under the provisions after SIX (6) MONTHS from the mailing date of this comm - If the period for reply specified above is less than thirty (3 - If NO period for reply is specified above, the maximum state - Failure to reply within the set or extended period for reply Any reply received by the Office later than three months a earned patent term adjustment. See 37 CFR 1.704(b).	CATION. of 37 CFR 1.136(a). In no of the communication. D) days, a reply within the statutory period will apply and will, by statute, cause the a	event, however, may a reply be tir atutory minimum of thirty (30) day will expire SIX (6) MONTHS from pplication to become ABANDONE	nely filed s will be considered timely the mailing date of this co D (35 U.S.C. § 133).				
Status							
1) Responsive to communication(s) file	d on 23 December	2004.					
3) Since this application is in condition	•		osecution as to the	merits is			
• • • • • • • • • • • • • • • • • • • •	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims		•					
4) ⊠ Claim(s) 1-24 is/are pending in the a 4a) Of the above claim(s) is/a 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-24 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restrict	re withdrawn from o	•					
Application Papers	•						
9) The specification is objected to by th 10) The drawing(s) filed on is/are: Applicant may not request that any obje Replacement drawing sheet(s) including 11) The oath or declaration is objected to	a) accepted or ction to the drawing(s the correction is requ) be held in abeyance. Se aired if the drawing(s) is ob	e 37 CFR 1.85(a). ejected to. See 37 Cf				
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (F3) Information Disclosure Statement(s) (PTO-1449 or Paper No(s)/Mail Date		4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal I 6) Other:	ate) -152)			

DETAILED ACTION

Claim Rejections - 35 USC § 102

- 1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 2. Claim 1-24 are rejected under 35 U.S.C. 102(e) as being anticipated by Robinson et al. (US 6,570,867).

Regarding to claim 1-6 and 12-15, Robinson teaches a system for managing a communication network composed of a plurality of subnetworks, comprising: a plurality of element managers 24 provided one for each of the plural subnetworks; and a network manager 20 accommodating said plural element managers for concentrated management thereof; wherein each of said plural element managers having a collection and notification section for collecting QoS (Quality of Service) capability management information on the corresponding element manager and notifying said network manager of the collected QoS capability management information (Column 5 Line 13-19); said network manager having a management section including a function object group which performs a control of QoS policy provisioning over the communication network (Column 5 Line 40-44) and an information object group which manages network information of each of the plural subnetworks (Column 5 Line 19-30), and for concentratedly managing various

Application/Control Number: 09/670,462

Art Unit: 2665

QoS capabilities of the whole communication network, based on the QoS capability management information collected and notified by the individual element managers 24 (Column 5 Line 3-15), a request reception section for receiving a request for a target QoS capability (Column 8 Line 22-25), and a selection and notification section for selecting a candidate subnetwork having a QoS capability such as to satisfy the target QoS capability (Column 13 Line 46-56, Column 2 Line 27-29), for which the request has been received by said request reception section (Column 8 Line 22-25), based on the various QoS capabilities being managed by said management section (Column 5 Line 3-15), and for notifying said element manager corresponding the selected candidate subnetwork of selection information indicating that the candidate subnetwork has been selected (Column 5 Line 3-6); and each of said element managers further having a control section for controlling the corresponding subnetwork based on the selection information notified by said selection and notification section of said network manager (Column 5 Line 9-12).

Regarding to claim 7 and 19, Robinson teaches a network manager for use in a communication network managing system which manages a communication network composed of a plurality of subnetworks and includes a plurality of element managers 24 corresponding to the plural subnetworks; and a network

Art Unit: 2665

manager 20 accommodating the plural element managers, said network manager comprising: management section for concentratedly managing various QoS capabilities of the whole communication network, based on the QoS capability management information collected and notified by the individual element managers (Column 5 Line 3-15), a request reception section for receiving a request for a target QoS capability (Column 8 Line 22-25), and a selection and notification section for selecting a candidate subnetwork having a QoS capability such as to satisfy the target QoS capability (Column 13 Line 46-56, Column 2 Line 27-29), for which the request has been received by said request reception section (Column 8 Line 22-25), based on the various QoS capabilities being managed by said management section (Column 5 Line 3-15), and for notifying said element manager corresponding the selected candidate subnetwork of selection information that the candidate subnetwork has been selected (Column 5 Line 3-6), wherein said management section is constructed to concentratedly manage the various QoS capabilities of said communication network and those of another communication network independent of said communication network in view of other QoS capability management information of other subnetworks that constitute said other communication network (Column 14 Line 46-57, Column 3 Line 34-38).

Art Unit: 2665

Regarding to claim 8 and 22, Robinson teaches a network manager for use in a communication network managing system which manages a communication network composed of a plurality of subnetworks and includes a plurality of element managers 24 corresponding to the plural subnetworks; and a network manager 20 accommodating the plural element managers, said network manager comprising: management section for concentratedly managing various QoS capabilities of the whole communication network, based on the QoS capability management information collected and notified by the individual element managers (Column 5 Line 3-15), a request reception section for receiving a request for a target QoS capability (Column 8 Line 22-25), and a selection and notification section for selecting a candidate subnetwork having a QoS capability such as to satisfy the target QoS capability (Column 13 Line 46-56, Column 2 Line 27-29), for which the request has been received by said request reception section (Column 8 Line 22-25), based on the various QoS capabilities being managed by said management section (Column 5 Line 3-15), and for notifying said element manager corresponding the selected candidate subnetwork of selection information that the candidate subnetwork has been selected (Column 5 Line 3-6), wherein said management section is constructed to manage supported tagging, as additional

Application/Control Number: 09/670,462

Art Unit: 2665

information, for discrimination on combination of the subnetworks (Column 9 Line 60 – Column 10 Line 2).

Regarding to claim 9 and 24, Robinson teaches a network manager for use in a communication network managing system which manages a communication network composed of a plurality of subnetworks and includes a plurality of element managers 24 corresponding to the plural subnetworks; and a network manager 20 accommodating the plural element managers, said network manager comprising: management section for concentratedly managing various QoS capabilities of the whole communication network, based on the QoS capability management information collected and notified by the individual element managers (Column 5 Line 3-15), a request reception section for receiving a request for a target QoS capability (Column 8 Line 22-25), and a selection and notification section for selecting a candidate subnetwork having a QoS capability such as to satisfy the target QoS capability (Column 13 Line 46-56, Column 2 Line 27-29), for which the request has been received by said request reception section (Column 8 Line 22-25), based on the various QoS capabilities being managed by said management section (Column 5 Line 3-15), and for notifying said element manager corresponding the selected candidate subnetwork of selection information that the candidate subnetwork has been selected (Column 5 Line 3-6), wherein said Application/Control Number: 09/670,462

Art Unit: 2665

management section is constructed to update the various QoS capabilities of the communication network when said QoS capability management information is updated (Column 9 Line 43-47).

Regarding to claim 10, Robinson teaches said selection and notification section is constructed to previously select two or more of the subnetworks when selecting the candidate subnetworks having communication QoS capabilities such as to individually satisfy the target QoS capability, for which the request has been received by said request reception section, to firstly notify one element manager, corresponding to a first one of the candidate subnetworks, of the previous selection of the plural subnetworks and secondly notify another element manager, corresponding to a second one of the candidate subnetworks, of unable information that the corresponding first candidate subnetwork cannot be controlled, upon receipt of the unable information as a response from the element manager corresponding to the first candidate subnetwork (Column 14 Line 33-45, Column 10 Line 21-39).

Regarding to claim 11, Robinson teaches a network manager for use in a communication network managing system which manages a communication network composed of a plurality of subnetworks and includes a plurality of element managers 24 corresponding to the plural subnetworks; and a network

Art Unit: 2665

manager 20 accommodating the plural element managers, said network manager comprising: management section for concentratedly managing various QoS capabilities of the whole communication network, based on the QoS capability management information collected and notified by the individual element managers (Column 5 Line 3-15), a request reception section for receiving a request for a target QoS capability (Column 8 Line 22-25), and a selection and notification section for selecting a candidate subnetwork having a QoS capability such as to satisfy the target QoS capability (Column 13 Line 46-56, Column 2 Line 27-29), for which the request has been received by said request reception section (Column 8 Line 22-25), based on the various QoS capabilities being managed by said management section (Column 5 Line 3-15), and for notifying said element manager corresponding the selected candidate subnetwork of selection information that the candidate subnetwork has been selected (Column 5 Line 3-6), wherein said selection and notification section is constructed to select two or more of the subnetwork according to preset priorities when selecting the candidate subnetworks having QoS capabilities such as to individually satisfy the target QoS capability, for which the response has been received by said request reception section, and to notify one element manager, corresponding to a higher-priority one

of the candidate subnetworks, of the selection (Column 14 Line 33-45, Column 10 Line 21-39).

Regarding to claim 16 and 20, Robinson teaches said management section is constructed to manage supported tagging, as additional information, for discrimination on combination of the subnetworks (Column 9 Line 60 – Column 10 Line 2).

Regarding to claim 17 and 21, Robinson teaches said management section is constructed to update the various QoS capabilities of the communication network when said QoS capability management information is updated (Column 9 Line 43-47).

Regarding to claim 18 and 23, Robinson teaches said management section is constructed to update the various QoS capabilities of the communication network when said QoS capability management information is updated (Column 9 Line 43-47).

Response to Arguments

3. Applicant's arguments with respect to claim 1-24 have been considered but are most in view of the new ground(s) of rejection.

Application/Control Number: 09/670,462 Page 10

Art Unit: 2665

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following patents are cited to further show the state of the art with respect to the invention in general.

U.S. Patent 6,667,956 to Beshai et al.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Clemence Han whose telephone number is (571) 272-3158. The examiner can normally be reached on Monday-Thursday 7 - 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu can be reached on (571) 272-3155. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/670,462 Page 11

Art Unit: 2665

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Clemence Han Examiner Art Unit 2665

> STEVEN NGUYEN PRIMARY EXAMINER